


Item #	Part Number	Description
	MP400-A	MP400
1	MP340-ITEM5-A	Hex370 Seal
2	MP400-ITEM02-A	Backhead
3	MP340-ITEM26-A	Plug-A
4	MP340-ITEM25-A	Plug Seal
5	MP400-ITEM05-A	Backhead Middle Seal
6	MP400-ITEM04-A	Backhead Bottom Seal
7	MP340-ITEM13-A	Break Out Washer
8	MP340-ITEM15-A	Breakout Washer Seal
9	MP340-ITEM30-A	Check Valve Seal
10	MP340-ITEM18-A	Check Valve-A
11	MP340-ITEM19-A	Check Valve Spring-A
12	MP340-ITEM20-B	Distributor-B
13	MP340-ITEM29-A	Distributor Seal
14	MP340-ITEM21-A	Distributor Retainer
15	MP400-ITEM01-A	Hammer Casing
16	MP400-ITEM03-A	Piston
17	MP340-ITEM16-A	Aligner Retaining Ring-A
18	MP340-ITEM17-A	Aligner-A
19	MP340-ITEM27-A	Aligner Seal
20	MP340-ITEM11-B	Retaining Rings-B
21	MP340-ITEM13-A	Break Out Washer
22	MP340-ITEM15-A	Breakout Washer Seal
23	MP340-ITEM8-A	Chuck-A
24	MP340-ITEM12-A	Chuck Bush-A

Specifications	Metric	Imperial
Hammer Outside Diameter	750 mm	29.6"
Shoulder to Shoulder	2,336 mm	92"
Drill Bit Shank Type	MF34	
Minimum Bit Size	1,000 mm	39.4"
Hammer Weight (Less Bit)	6,048 kg	13,334 lbs
Drill Bit Weight	2,600 kg	
Piston Weight	1,500 kg	3,307 lbs
Backhead Stand Off	0 mm	
Make up Torque	32,540 Nm	
Wear Sleeve Reverse Limit	Non-Reversible	

Stated drill bit weight is indicative only. Actual drill bit weight will vary based on drill bit head size and carbide configuration.



Disclaimer:
 1. Air consumption values are based on a combination of simulation data and real-world testing.
 2. All air charts are based on normal temperature and atmospheric pressure: 20°C and 101.325 kPa (68°F and 14.696 psi).
 3. Air density decreases with altitude, which will increase air consumption. Please consult the Mincon technical implementation team for exact air package requirements that take account for altitude and ground conditions.